Section 9480

Emergency Response Surface Water Sampling Plan

9480	Emergency Response Surface Water Sampling Plan	
	9480.1 Purpose of Surface Water Sampling	
	9480.1.1 Quality Assurance/Quality Control	1
	9480.1.2 Data Sharing]
	9480.1.3 Roles and Responsibilities	2
	Surface Water Sampling Technical Specialist	
	Surface Water Sampling Coordinator	2
	Surface Water Sampling Team Leader	2
	Water Sampling Organization	3
	Templates	3
	9480.2.1 How to Use These Templates	3
	INITIAL INCIDENT CHARACTERIZATION SAMPLING AND	
	ANALYSIS PLAN TEMPLATE	5
	Section I Sampling Schedule	
	Section II General Sampling Program Description	6
	Section III Sample Collection, Labeling, and Documentation	
	Section IV Map of Area(s)/Features to be Sampled	
	SURFACE WATER SAMPLING AND ANALYSIS PLAN TEMPLATE	. 10
	1.0 Introduction and Purpose	. 11
	1.1 Sampling Objectives	
	1.2 Sample Schedule	
	2.0 Roles and Responsibilities	
	3.0 Safety	
	4.0 Incident Location and Background Information	. 14
	5.0 Contaminants of Concern and Action Levels	
	6.0 Sampling Approach	. 15
	6.1 Sample Methodology	. 17
	7.0 Data Management	. 18
	7.1 Data Reporting	
	8.0 Data Quality	. 19
	8.1 Data Quality Objectives	. 19
	8.2 Quality Assurance/Quality Control	19
	8.3 Sampling and Analytical Results	19
	8.4 Data Reporting and Deliverables	. 20
	9.0 Data Management Plan	. 20
	Sampling Plan Attachments	
	Attachment A: Data/Information Sharing Processes	22
	Attachment B: Standard Sample Recommendations	24
	Attachment C: Expanded Sampling List	
	Attachment D: Decision Making Process	
	Attachment E: Sample Form	3
	Attachment F: Chain-of-Custody Form	
	Acronyms	33

Tables and Figures

Figure 1.0: Surface Water Sampling Organization Chart and Information	ation Flow3
Table 2.0: Estimated Sample Schedule Table	6 & 12
Table 2.1: General Sampling Program Collection	
Table 2.2: Contaminants of Concern and Action Levels	14
Table 2.3: Sampling Approach	16
Table 2.4: Data Reporting Deliverables	
Table 2.5: Data Reporting Contacts	
Table 2.6: Data Management Plan	

Emergency Response Surface Water Sampling Plan

9480.1 Purpose of Water Sampling

Through the collection and analysis of water samples, responders can uncover valuable data needed to inform decisions related to response tactic deployment, determining cleanup endpoints, waterway closures, recreational and consumption advisories, and fisheries management. During a response, water sampling may be necessary to answer a variety of questions. For example:

- What is the source of the spill?
- Is oil/hazardous substance detected in the surface water samples?
- Is the water body of acceptable quality for recreation, fish consumption, irrigation, or a designated beneficial use?
- Is oil/hazardous substance migrating?
- Is water quality improving or worsening?
- Is sediment and tissue sampling required?

This section contains guidance and plan templates to <u>standardize the process to collect</u>, <u>analyze</u>, <u>and disseminate sampling results that can support decision making during a response</u>. Sampling guidance throughout the plan only covers surface water. All sampling fieldwork is to be conducted in accordance with the site safety plan developed for the response.

9480.1.1 Quality Assurance/Quality Control

To maintain a high level of quality sampling and analysis, the sampling plan should support steps for quality assurance (QA) and quality control (QC) such as auditing of the process during the response. Key elements of a sampling approach during a response where QA/QC should be continuously conducted include:

- Use of appropriate procedures;
- Collection of representative samples;
- Sample contamination prevention;
- Proper sample preservation; and
- Chain-of-Custody (COC) maintenance.

9480.1.2 Data Sharing

Implementation of a sampling plan should also result in data sharing amongst all parties involved. Initially, real-time data should be made available on the responsible party's water sampling service provider's database/system to UC/IC, officials, and other decision makers. Incident water sampling data should be posted to the official incident website for public viewing within the first two operational periods after receiving results back from the laboratory. The incident website shall serve as the official messaging site for all incident related information. Other organizations or agencies should make a concerted effort to share their separate water sampling data and attempt similar messaging.

Refer to Attachment A for recommended data and information sharing processes within the incident management team and externally to the public.

9480.1.3 Water Sampling Roles and Responsibilities

This section describes the key roles and personnel assigned to develop and implement the water sampling plan (Figure 1.0). Water sampling staff are typically stationed in the Incident Command Post in the Planning Section within the Environmental Unit (EU).

Water Sampling Technical Specialist

The water sampling technical specialist is an advisor responsible for helping to create the water sampling and analysis plans, including the Initial Incident Characterization Sampling and Analysis Plan, and any needed updates throughout the response based on the sampling results. The Water Sampling Technical Specialist is responsible for monitoring the progress of sample analysis at the designated laboratory(ies) and making arrangements for receipt of data.

Water Sampling Coordinator

The Water Sampling Coordinator is responsible for implementing the water sampling and analysis plan. He or she oversees and coordinates the field sampling teams' operations and communications. The Water Sampling Coordinator works within the Planning Section (or ENVL) and may have other responsibilities to that section.


Water Sampling Team Leader

The Water Sampling Team (or Task Force) Leader is responsible for the sample collection, documentation (including time and location), preservation, and preparation for shipment. Sampling teams may be divided geographically (by divisions or proximity to the release point), or means of access (boat versus shoreline).

Data Manager

The data manager will establish a data management plan, process and manage all forms of data, and ensure the data is disseminated per attachment A.

Figure 1.0 – Surface Water Sampling Organization Chart and Information Flow



^{*} Incorporate local, state, and/or federal public health authority and advisory/technical specialist roles within Enviro. Unit

** Depending on size and scope of the incident multiple Water Sampling Field Teams/Leaders may be required

9480.2 Templates

There are two templates included in this section. The first is intended to be used in the early phase of the response when many details are unknown but samples need to be collected. The second template is intended for use later in the response when more information on the incident and receptors are available.

9480.2.1 How to Use These Templates

The major headings of this document are suggested for the completion of a sampling plan. A sampling plan is not required to follow the format, however it should contain the content and detail commensurate to the scale (size or sensitivity/threat) of the response. Sampling plan templates may be customized to match organization structures, capabilities, and the availability of field teams during the operational period for which the plan is to cover.

Instructions and suggestions are printed in *italics* in the following sections. **Delete and replace** these instructions as applicable. Rewrite suggested text to fit the incident and organizationspecific needs.

Additionally, some tables are pre-populated with examples or common information that may be relevant to an emergency response scenario. To complete tables, delete irrelevant examples and add applicable information as dictated by the incident.

Values presented in the tables should be verified and adjusted to meet the expectations and capabilities of various response organizations, receiving analytical laboratories, and local response agencies.

Reference checklist sections and attachments for supporting details and information to create a sampling plan.

After completion, review the template as a whole with all parties involved, including the Water Sampling Team Coordinator, to evaluate and address potential gaps. After finalized, route the sampling plan through Unified Command for approval and integration into the Incident Action Plan.

Retain this document for continuing emergency operations. Information assembled here may be used to create additional site documents and ICS planning forms.

INITIAL INCIDENT CHARACTERIZATION SAMPLING AND ANALYSIS PLAN

Incident Name: Responsible Party: Spilled Material: Spill Location: Spill Date/Time: Spill Source (vessel, facility, etc.)		
This sampling plan has been prepared by the Pla Command. The purpose of this plan is to quickle site response operations and develop information phases/operational periods. Additional sampling complicated or larger responses, provide data for monitoring of responder and community health, operations. This plan is purposefully brief, with characterization sampling efforts during the early	y begin characterization of n that will inform the subs g and analysis plans may b or health and safety plan do and/or waste management the intent of facilitating in	f the release to support sequent response be created to support evelopment, the at and disposal
This plan does not cover health and safety aspect locations to collect samples. All field work is to Safety Plan (HASP) developed for the response conducted until the HASP is reviewed, and until Officer.	be conducted in accordant. Water sampling operation	nce with the Health and ns should not be
Once approved by Unified Command and incorwill remain in force until superseded by a newer		
Plan Authorization	Signature	Date
Approved by USCG/EPA:		
Approved by SOSC:		
Approved by Responsible Party:		
Approved by LOSC:		
Approved by Other:		
Drafted and Submitted for		
Approval by: Op. Period to Initiate Sampling		
Op. Feriod to initiate Sampling		

Section I Sampling Schedule

This section describes the general schedule for initial sample collection, including when the sampling is to be initiated. This schedule will be modified/incorporated into subsequent sampling plans, if developed.

These are general guidelines that will be tailored to fit each incident.

Table 2.0: Estimated Sample Schedule

Activity	Start /Date)	. End e/Date)	Notes
Mobilize to Site			
Sample Collection			
Transport to Lab			
Laboratory Analysis (turnaround time)			
Data Manager provides data to Water Sampling Coord., who decides if additional sampling is needed			
Data Received by the Environmental Unit			

Section II General Sampling Program Description

This section describes the general sampling purpose and design, followed by a table summarizing the samples to be collected, means of collection, and sample handling/custody and destination. Refer to Attachment B for CTCAC standard sample analytes list recommended to be taken at all incidents. Refer to Attachment C for selection of additional analytes as dictated by the incident.

Example: Surface water grab samples will be collected beginning at the outfall source area and continue every half (0.5) mile downstream to the end of visible contamination, concentrating on areas with the largest visible sheen. Reference locations upstream or outside the zone of impact of the outfall (or suspected source) should also be collected. Additional or alternative sample side locations may be determined based on site-specific factors and suspected contamination.

Table 2.1

Source Product	Surface Water	Other (describe)	Notes
		* * * * * * * * * * * * * * * * * * * *	
	Source Product	Source Product Surface Water	Source Product Surface Water Other (describe)

Additional columns can be added per sample location.

Section III Sample Collection, Labeling, and Documentation

The United States Environmental Protection Agency Contract Laboratory Program Guidance for Field Samplers (EPA-540-R-014-103, October 2014) provides descriptions of field sampling methods, as well as QA/QC guidance. Samples collected will be documented on the sample collection form provided (Attachment E), or a suitable substitute will be used. The sample collection form also specifies the sample labeling format and sample location documentation requirements. A formal COC (Attachment F) shall be maintained for all samples collected. If the laboratory cannot supply or does not require a specified COC, then the provided CTCAC COC will be used.

Section IV Sample Map of Area(s)/Features

Insert map or sketch showing sampling area(s).



WATER SAMPLING AND ANALYSIS PLAN

(Incident Name and Location)
(Date)
(Operational Period)

Submitted by Environmental Unit Leader: Date: Printed Name:			
Plan Authoriz	ation/Approval		
Title	Signature	Date	
Federal On-Scene Coordinator			
Printed Name			
State On-Scene Coordinator:			
Printed Name			
Local On-Scene Coordinator			
Printed Name			
Responsible Party IC:			
Printed Name			

1.0 Introduction and Purpose

This plan has been prepared by the Planning Section at the request of the Incident Command/Unified Command. This emergency response water sampling and analysis plan is intended to be used during an incident where water sampling is required. The purpose of this plan is to characterize the release to support the site response operations and unified command/official decision-making.

This sampling plan will direct the sampling and analytical work for a specific operational period. It is meant to be used in emergency responses where more detailed or larger-scaled sampling efforts are to be conducted by water sampling teams (hereafter referred to as field teams). This sampling plan may incorporate the Initial Incident Characterization Sampling and Analysis Plan, which is intended to guide the early collection of water samples during a response on an expedited timeframe and when most of the Incident Command resources have not yet mobilized to the site. This plan is not meant to support the natural resources damage assessment operations.

The development of this plan will standardize the documentation, communication, planning, and overall quality associated with the sampling information by:

- Ensuring field team(s) understand the goals and objectives of the sampling to be conducted before the generation of water sampling data;
- Documenting methodologies to be utilized in the collection and handling/preservation of samples;
- Documenting predetermined information in a standardized format;
- Outlining communication flow between sampling personnel and decision makers;
 and
- Assuring that data quality objectives (DQOs) and QC steps are in place to result in the generation of accurate and defensible data.

This water sampling and analysis plan describes the sampling strategy and techniques, as well as the analytical methods that will be employed at the site for the collection of water samples. The information contained in this plan is based on the information available at the time of preparation. This plan will be updated as necessary to reflect new site information, address different objectives or decision points, and support incident response/cleanup operations

Once approved by Unified Command and incorporated into the Incident Action Plan, this plan will remain in force until superseded by a newer version or water sampling operations are suspended by the Unified Command.

Best Practice: With IC/UC approval, water sampling is suspended when the source is controlled, when the oil/product is no longer mobile, and there have been three sampling events at regular intervals with no exceedance and/or meets designated end points (Situation dependent)

1.1 Sampling Objectives

The objectives of this sampling event include:

List all objectives for sampling. These objectives should be based on the Incident Command/Unified Command objectives. Delete the rows that do not apply. These are common examples, modify as necessary for site-specific project goals.

- Sampling to determine the presence or absence of a hazardous substance within the area of concern;
- Sampling to characterize hazardous substances within the area of concern;
- Sampling to estimate contamination levels within the area of concern;
- Sampling to delineate contamination area(s) within the area of concern;
- Sampling to determine the location of hot spots within the area of concern;
- Sampling to confirm contamination migration from the site;
- Sampling to delineate the degree of contamination migration from the site;
- Sampling from existing surface water intakes to determine if contamination is migrating from the site;
- Sampling off-site to determine general background concentrations;
- Support Unified Command decision-making regarding cleanup endpoints;
- Ensure sampling is repeatable;
- Collect product samples related to an oil spill for characterization and fingerprinting;

1.2 Estimated Sampling Schedule

This section describes the general schedule for sample collection, including when the sampling is to be initiated. This schedule will be updated as needed.

Table 2.0

Activity	Start /Date)	. End e/Date)	Notes
Mobilize to Site			
Sample Collection			
Transport to Lab			
Laboratory Analysis (turnaround time)			
Data Manager provides data to Sampling Coordinator who decides if additional sampling is needed			
Data received by Environmental Unit			

2.0 Assigned Roles and Responsibilities

Water Sampling Technical Specialist

Name: Click here to enter text Primary Contact Phone: Click here to enter text

Organization: Click here to enter text Secondary Contact: Click here to enter text

Water Sampling Coordinator

Name: Click here to enter text Primary Contact Phone: Click here to enter text

Organization: Click here to enter text Secondary Contact: Click here to enter text

Water Sampling Team Leader

Name: Click here to enter text Primary Contact Phone: Click here to enter text

Organization: Click here to enter text Secondary Contact: Click here to enter text

Data Manager

Name: Click here to enter text Primary Contact Phone: Click here to enter text

Organization: Click here to enter text **Secondary Contact:** Click here to enter text

Safety Officer

Name: Click here to enter text Primary Contact Phone: Click here to enter text

Organization: Click here to enter text Secondary Contact: Click here to enter text

Field Team 1 Contact

Name: Click here to enter text Primary Contact Phone: Click here to enter text

Organization: Click here to enter text **Secondary Contact:** Click here to enter text

Additional Personnel and Positions as Needed

Name: Click here to enter text Primary Contact Phone: Click here to enter text

Organization: Click here to enter text Secondary Contact: Click here to enter text

3.0 Safety

This plan does not cover health and safety aspects of sample collection or safely accessing field locations to collect samples. All field work is to be conducted in accordance with the HASP developed for the overall response, including an understanding of the materials that have been released from the Safety Data Sheets. Water sampling operations will not be conducted until the HASP can be reviewed and authorization is obtained from the Safety Officer.

Add all safety messages here. The following are examples:

- Safety is the number one priority. Sampling should not be attempted in any location it is unsafe to do so.
- Be aware of physical and chemical hazards at the site. Do not enter confined spaces unless they have been determined to be safe. Special care should be paid to the traffic, physical, and chemical hazards outlined the HASP. Individuals collecting samples should use care entering the spill site. Sampling should be conducted in accordance with the approved HASP.
- Slips, trips, and falls from steep slopes, rocks, and vegetation are safety hazards to workers conducting sampling.
- Proper personal protective equipment must be worn at all times by all workers on site in accordance with the approved HASP.

4.0 Incident Location and Information

Incident Name:	
Incident Address:	
Latitude:	
Longitude:	

- Provide a short description of the incident to support the need for a sampling plan (include spill materials, spill source etc...).
- *Discuss the site and any known information.*
- Associated watershed
- Discuss on-site features.
- Discuss surrounding land uses.
- Provide a site map

5.0 Contaminants of Concern and Action Levels

Provide an overview of the contaminants of concern for the incident. List compounds in narrative or tabular format that may pose a threat to human health and the environment relevant to the incident. This section should be comprehensive.

Potential contaminants of concern for the site, action levels, transport mechanisms, and potential receptors are provided in the table below.

Refer to Attachment D for protective concentration/action levels

Table 2.2

Contaminant	Transport Mechanism	Receptor	Action Level (Specific to Receptor)
Mercury, arsenic, lead	Contaminated soil migrating to surface waterbodies	Water targets such as wetlands and/or federally listed threatened and endangered species	
Volatile organic compounds (VOCs)	Contaminants in subsurface soils leaching to groundwater and/or surface water	On-site water flows to a nearby river where fishing occurs. Residents consuming water	

For contaminants without established action levels, complex mixtures, or unknown constituents and composition, provide a narrative description and working action level with justification for the selection of the action level.

6.0 Sampling Approach

This section describes the general sampling purpose and design, followed by a table summarizing the samples to be collected, method of collection, and sample handling/custody and destination.

Refer to contaminants of concern list above, Attachment B for CTCAC standard sample analytes list recommended to be taken at all incidents and Attachment C for selection of additional analytes when developing the sampling program

Example: Surface water grab samples will be collected beginning at the outfall source area and continue every half (0.5) mile downstream to the end of visible contamination, concentrating on areas with the largest visible sheen. Reference locations upstream or outside the zone of impact of the outfall (or suspected source) should also be collected. Additional or alternative sample side locations may be determined based on site-specific factors and suspected contamination.

Table 2.3

Area Segment or Division	Sample Location	Sample Name	Team Name	Sampling Pattern (Random/Targeted)	Sample Type (Grab/Composite)	Field QC Duplicate/Blank	# of Field Samples	Analytical Parameter/Metho d Description and #	Hold Time	Sample Preservation (all 4°C ± 2°C)	# & Type of Sample Container per Sample	Total Number of Sample Containers (Lab and Field)	Laboratory Name
WS-01		TCEQ WS TM1 WS01 03122020	WS TM 1	Targeted	Grab		3	Gasoline Range Organics/TP H- Gx/GC- FID	14 days	pH ≤2 with HNO3	3x40 mL glass amber with Septa lid		
										NA			
			-					.:11 .::1:	_				

Typical water laboratory analyses are included in Attachment B-C that will aid in the completion of this table.

Key:

°C = degrees Celsius

FID = Flame ionization detector HNO3 = nitric acid

NA = not applicable

TXTPH-Dx/GC = Texas Total Petroleum Hydrocarbon Diesel/Gas chromatograph TXTPH-Gx/GC = Texas Total Petroleum

Hydrocarbon/Gas chromatograph

QC = quality control

6.1 Sample Methodology

All field samples are to be collected in accordance with a state or federally approved sampling method. The following standard operating procedures (SOPs) and/or instrumentation manuals will be used during the project.

• *Create a list of applicable SOPs.*

Samples collected will be documented on the sample collection form provided in Attachment E. A formal chain of custody (COC) will be maintained for all samples collected for the incident. If the laboratory to be used cannot supply or does not require a specific COC, then the COC provided in Attachment F will be used. Field teams should always reference standard quality procedures, SOPs, and standard methods for sampling and analytical guidance.

6.1.1 Sample Nomenclature

Develop a systematic naming convention for all sampling activities. Ensure that each sample is uniquely identified to a specific geographic location. Record addresses and/or latitude/longitude for each sample location. An effective naming convention will allow more sample locations to be added throughout a response. Design a sample nomenclature plan for the incident.

6.1.2 Sample Management

Develop procedures to manage sample preservation, documentation, hold times and packaging/shipping of samples, including how to maintain COCs, how and where to deliver the samples, and how to manage the paperwork. Example language:

Proper sample management is required to make sound response decisions. The following action will be taken to manage samples from collection to analysis:

- COC documentation will be recorded for all samples collected. A copy of the COC forms will be placed in a binder stored in the EU, with a copy provided to the Documentation Unit.
- All samples collected by all Field Teams are to be properly stored until delivered to sample processing and the laboratory.
- Copies of all preliminary and final sample results will be maintained in the sample binder in the EU with a copy provided to the Documentation Unit. The results will also be provided to the Water Sampling Coordinator and EU Leader electronically as soon as they are received (refer to Attachment A for data/information flow guidance)
- The Water Sampling Coord. will ensure samples were collected, handled and shipped according to established QA/QC measures. A Technical Specialist may be appointed to review and summarize sampling results, create a summary of results, noting any exceedances of protective concentration levels, issues with established QA/QC measures, and provide updates to UC of the schedule established in Section 1.2 of this document. If QA/QC issues are noted by Technical Specialist, the Water Sampling Coord. will address the issues.

6.1.3 Sample Transport

All samples will initially be analyzed with an *8, 12, 24 hours*, turnaround time (TAT). Some analysis may require a longer TAT because testing itself may take more than 24 hours. As the cleanup progresses, EU may recommend moving to a standard 2-week TAT. This plan will be updated as needed to reflect TATs.

7.0 Data Management

All field data will be managed in accordance with the Data Management Plan as outlined in Section 9 of this document. Data generated will:

- Be compared with a background or reference sample;
- Be compared to an available protective concentration/action level;
- Be compared with federal or state occupational health limit (e.g. Occupational Safety and Health Administration);
- Be compared with a Resource Conservation Recovery Act (RCRA) or other regulatory limit on waste;
- Be used to profile a water material for off-site disposal or treatment; and
- Assist with determining a material's general hazard classification.

7.1 Data Reporting

The following deliverables will be developed using the data obtained. Deliverables will be coordinated with the EU Leader and Incident Command/Unified Command.

Table 2.4

		Deliverables		
Reporting Task	Data Inputs	Format	Frequency	Responsibility
Sample Result Reports	Water, analytical results	Tabular [.xlsx] Color coded map	Daily	Data Manager
Situational Reports	Photographs, Field reports, Sampling Results	Document [.docx]	Daily	Data Manager

Table 2.5

Title	Name	Organization	Email & Phone #
Federal On-Scene Coordinator			
State On-Scene Coordinator			
Local On-Scene Coordinator			
Situation Unit Leader			

^{*}Add additional as need

8.0 Data Quality

The bulleted list below is suggested language. Update to fit the response

Data can generally be divided into three categories: definitive methodology (generally data generated utilizing standard methodology), non-definitive methodology (also referred to as screening data), and screening data with at least 10% definitive confirmation. The generation of definitive data is preferable; however, in an emergency or time-critical situation, where definitive data is not available, or for certain types of monitoring equipment, non-definitive data may be generated. The following DQOs will be applied to the incident:

- Definitive data which may include water, samples analyzed at an off-site fixed laboratory;
- Screening data from the following instrument (provide a list of instrumentation); and
- Screening data with at least 10% definitive data from (provide a list of matrices for which off-site fixed lab confirmation samples will be submitted including the matrix).

8.1 Data Quality Objectives

A well-constructed DQO includes the activity, criteria for making a decision, and describes the action after a decision is made. Add, delete, or update the bulleted list below to fit the response and your agency policy and procedures.

The DOOs for the incident are:

- Acquire data that can be reliably used to make decisions regarding the release and presence of site contamination;
- Determine the presence or absence of a hazardous substance at levels above an available protective concentration/action level;
- Determine the area of impact due to a hazardous substance release (i.e., horizontal or lateral extent of contamination); and
- *Document any threats or potential threats to public health or the environment.*

8.2 Quality Assurance/Quality Control

Write in narrative format the steps and considerations to establish QA/QC for incoming and published data. As appropriate, identify predetermined standards for data verification, analysis, and reporting. QA/QC may be organized into functional activities with suggested QA/QC procedures.

8.3 Sampling and Analytical Results

- COC documents will be completed for each sample.
- The laboratory will provide analytical reports. Preliminary or draft reports with provisional will be non-definitive. Final reports received by the laboratory will be definitive data. The data will be reviewed and validated for representativeness, comparability, completeness, precision, and accuracy by a multi-agency analysis team (DSHS, TPWD, TCEQ, et al.). All entities will quality-assure the data.
- Laboratory QC samples (blanks, duplicates, and matrix spikes) will be utilized to assess laboratory performance.

8.4 Data Reporting and Deliverables

- Daily Data Summaries may be provided for informational purposes using data that have not undergone complete QA/QC.
- Comprehensive reports of analytical data may be generated following QA/QC.
- The DQO process applied to this incident follows what is described in the *Guidance on Systematic Planning Using the Data Quality Objectives Process/G-4* (EPA 2006).

9.0 Data Management Plan

The table on the following page should be updated as necessary. Most sites will have site files, photographs, and sampling information if this template is being used.

All field data will be managed in accordance with the following Data Management Plan.

Table 2.6


Data Source	Required Information	Processing Instructions	Processing Frequency	Processing Responsibility	Storage Location	Final Output (file format)
Site Documents	Site files, Sampling Plan, HASP, sample collection forms	File hard copies in EU, provide a copy to the Documentation Unit	Beginning of incident and as files become available	Water Sampling Coordinator	Digital: Hard copy: EU & Documentation Unit	Documents [.docx, .pdf]
Digital Photographs	Date, time, direction, location, description, photographer	Photos will be downloaded from field cameras and stored in the site files.	Daily	Data Manager	EU & Documentation Unit	Photos [.jpg], Photographic log [.xlsx or .docx]
Sample Information	Sample number, Date, Time, Sampler, Location, Matrix	Record data onto field forms, file hard copies in EU provide a copy to the Documentation Unit	Daily or as records are produced	Data Manager	EU & Documentation Unit	COCs, sample labels, maps, tabular reports

Key: COC = Chain-of-Custody EU = Environmental Unit

HASP = Health and Safety Plan


ATTACHMENT A: Data and Information Sharing Processes

Internal IMT and External Officials Information Sharing Process



ATTACHMENT A: Data and Information Sharing Processes Continued:

General Public Information Sharing



ATTACHMENT B: CTCAC Standard Sample Recommendations

ANALYSIS	POTENTIAL METHOD
Water Temperature (°C)	N/A
pH (0-14 standard units)	N/A
Conductivity (Siemens/meter)	N/A
Chemical Oxygen Demand	SM 5220D-2011
Volatile Organic Compounds (VOCs) + TICs	EPA SWA-846 8260b
BTEX	EPA SW846-8260C
Semi-volatile Organic Compounds (SVOCs)	EPA SWA-846 8270 SIM 42 PAH
TX-TPH	TX-1005
PFAS (PFOS and PFOA Only) *If Firefighting Foam Use	EPA 537M
TOC	SM 5310C
Oil and Grease	Method 9071

ATTACHMENT C: Expanded Sample List

		Potential						
Analytical Parameter/	Quantitation							
Method Description	Matrix	Limit	Technical Holding Time					
Hydrocarbon Identification/TX TPH	Liquid	0.25 mg/L – Gas 0.63 mg/L – Diesel and Motor Oil	14 days					
Diesel, Residual Range & Motor Oil Range Organics/TX TPH	Liquid	$250 \mu g/L - Diesel 500$ $\mu g/L - Other$	14 days to extraction 40 days to analysis					
Gasoline Range Organics	Liquid	250 μg/L	14 days					
Dil & Grease/EPA 9071B and 1664A	Liquid	5 mg/L	28 days					
BTEX/EPA SW-846 8240	Liquid	0.5 – 10 μg/L	14 days					
			,					
Petroleum Hydrocarbons/EPA SW-846 8015D	Liquid	50 μg/L	14 1					
Volatile Organic Compounds/EPA SW-846 8260	Liquid	0.5 μg/L	14 days					
Semivolatile Organic Compounds including PAHs)/EPA SW-846 8270	Liquid	0.1 – 10 μg/L	14 days					
Paraffins, Isoparaffins, Aromatics, Napthalenes, & Olefins(PIANO)	Liquid	1 μg/L	14 days					
Chlorinated Herbicides/EPA SW-846 8151	Liquid	$0.1 - 1.5 \ \mu g/L$	7 days					
Polychlorinated Biphenyls/EPA SW-846 8082	Liquid	1 μg/L	7 days					
Dioxins & Furans/ EPA SW-846 8280/8290	Liquid	10 - 100 pg/L	NA					
Metals (not including mercury, hexavalent chromium, neludes RCRA and Priority Pollutant Metals)/EPA SW- 846 6000/7000 Series	Liquid	$1-500~\mu g/L$	6 months					
Mercury (may be combined with metals analysis)/EPA SW-846 7471B/7470A	Liquid	0.2 μg/L	28 days					
Ammonia/EPA 350.1	Liquid	0.01 mg/L	28 days					
Total Dissolved Solids/EPA 160.1	Liquid	20 mg/L	7 days					
Total Kjeldahl Nitrogen (TKN)/EPA 351.2	Liquid	0.5 mg/L	28 days					
Total Organic Carbon (TOC)/ PSEP-TOC & SM 310B	Liquid	1 mg/L	28 days					
oH/EPA 9040	Liquid	NA	Immediately					
Salinity/SM 2520B	Liquid	NA	28 days					
Anions/EPA 300.0	Liquid	0.04 – 0.03 mg/L	Bromate – 28 days Bromide –28 days Chlorate–28 days Chloride– 28 days Chlorite - Immediately Fluoride– 28 days Nitrate as Nitrogen – 48 hours Nitrate/Nitrite– 28 days Nitrite as Nitrogen– 48 hours Ortho-Phosphate-p– 48 hours Sulfate– 28 days					
Chlorinated Pesticides/EPA SW-846 8081 Liquid		$0.05 - 5 \mu g/L$	7 days					

Key: $\mu g/kg = \text{micrograms per kilogram}$

 μ g/L = micrograms per liter mg/L = milligram per liter

BTEX = benzene, toluene, ethylbenzene and xylene EPA = United States Environmental Protection Agency

HDPE = high-density polyethylene

L = liters

mg/kg = milligrams per kilogram

mg/L = milligrams per liter

mm = millimeters NA = not applicable

ng/kg = nanogram/kilogram

TPH- Total Petroleum Hydrocarbon

HCID = Northwest Total Petroleum Hydrocarbon Identification Analytical Method

PAH = Polycyclic aromatic hydrocarbon

pg/L = picogram/liter

RCRA =Resource Conservation and Recovery Act

ATTACHMENT D: Decision Making Process

This attachment provides the Unified Command and officials with important information to help facilitate decision-making during an incident such as waterway closures and consumption advisories. None of the action levels below have been officially approved nor endorsed by the Central Texas Coastal Area Committee (CTCAC).

To use this attachment, follow the process outline in Figure D-1 (Water Sampling Incident Flow Chart) on page 28. At various points, the Water Sampling Incident Flow chart will direct users to sections contained in this attachment. When utilizing Table D-2 (Decision Matrix), page 29, first refer to the appropriate receptor or required decision (D-2 column 1) (i.e. human contact/beach closure). Next, refer to the agencies who have jurisdiction (D-2 column 2) and ensure they're involved in the process. Next, refer to the Protective Concentration Level column (D-2 column 3) and reference Table D-3 (Water Protective Concentration Level), page 30, for benchmark level. Based on water sampling results, refer to column 4 of Table D-2 for recommended actions if exceedance occurs.

The Texas Risk Reduction Program and Texas Surface Water Quality Standard associated values including Human Contact Recreation Water Protective Concentration Levels (Table D-3 Column 1) and Human Health Surface Water Risk-Based Exposure Limits (Table D-3 Column 2 and 3) are the primary values used as benchmarks to support Unified Command and Officials decision making during an incident. DSHS Health Assessment Comparison (HAC value) (Table D-3 Column 4) is the primary value used to determine whether a fish or shellfish advisory may be required. In certain cases when there is no TRRP/TSWQS or EPA NWQC, the National Primary Drinking Water Maximum Contaminant Level (MCL) (Table D-3 Column 5) should be used.

The list of chemicals of concern (COC) in Table D-3 includes commonly transported chemicals and/or materials frequently spilled. In the event the chemical released during the incident is not listed in Table D-3, please utilize the same process identified in this attachment and review the provided links for the corresponding values. In some circumstances, there may be no values listed anywhere for a particular chemical. In this situation, consult TCEQ Risk Assessment and Research Division at (512) 239-1793 for guidance and establishment of a value. Furthermore, during prolonged responses the Unified Command and Officials may need to consult with TCEQ Risk Assessment and Research Division to refine previously listed protective concentration levels (i.e. conduct tier 2 or 3 assessment).

Definitions:

Contact Recreation Water PCL:

Individuals using surface water for recreation (e.g., swimming) may be exposed to COCs through the incidental ingestion of surface water and dermal contact. In developing PCLs for recreation water exposure pathways, Tier 1 exposure factors were used when applicable (e.g., exposure duration, body weight). However, certain pathway-specific exposure parameters (e.g., exposure frequency, incidental surface water ingestion rate) are not available in TRRP and were taken from Table 5-1 of TRRP-24. The residential RBEL-4 equations (see Figure 30 TAC §350.74 (a)) were used to evaluate the incidental ingestion of surface water pathway by changing the exposure frequency and the ingestion rate (including calculation of an age-adjusted incidental ingestion rate of 0.126 L-year/kg-day). Dermal exposure to surface water was evaluated using equations and inputs provided by USEPA in *Risk Assessment Guidance for Superfund Volume I: Human Health Evaluation Manual (Part E, Supplemental Guidance for Dermal Risk Assessment), Final Guidance (July 2004)* and errata (www.epa.gov/oswer/riskassessment/ragse/pdf/part_e_final_revision_7-27-06.pdf). TRRP chemical/physical data (i.e., logKow, molecular weight) were used to calculate skin permeability coefficients (i.e., Kp values). The child exposure scenario was most sensitive for non-

chemical/physical data (i.e., logKow, molecular weight) were used to calculate skin permeability coefficients (i.e., Kp values). The child exposure scenario was most sensitive for non-carcinogenic hazard, and the age-adjusted scenario was most sensitive for carcinogenic risk. The contact recreation PCL table for surface water will be updated periodically (i.e., every March along with the other PCL and RBEL tables). (TCEQ, Contact Recreation PCLs, 2006)

Human Health Surface Water Risk-based Exposure Limits (SWRBEL) Water and Fish:

The surface water RBEL (SWRBEL) is the protective concentration of a COC at the Pathway of entry in surface water. The criteria used is to prevent contamination of drinking water, fish and other aquatic life to ensure that they are safe for human consumption. If the water body is designated or used as a public drinking water supply, then the criteria for Water and Fish apply. (TCEQ, Determining PCLs for Surface Water and Sediment, 2007)

Human Health Surface Water Risk-based Exposure Limits (SWRBEL) Fish Only

The surface water RBEL (SWRBEL) is the protective concentration of a COC at the POE in surface water. Criteria used is to prevent contamination of fish and other aquatic life to ensure that they are safe for human consumption. These criteria apply to salt/freshwater which have sustainable fisheries and which are **not** designated or used for public water supply (TCEQ, Determining PCLs for Surface Water and Sediment, 2007)

National Drinking Water Maximum Contaminant Level (MCL)

The highest level of a contaminant that is allowed in drinking water. MCLs are set as close to Maximum Contaminant Level Goal (MCLGs) as feasible using the best available treatment technology and taking cost into consideration. MCLs are enforceable standards. Maximum Contaminant Level Goal (MCLG) - The level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety and are non-enforceable public health goals. (TCEQ, Determining PCLs for Surface Water and Sediment, 2007)

Figure D-1: Water Sampling Incident Flow Chart




Table D-2: Decision Matrix

Decision/Receptor (1)	Jurisdiction (2)	Protective Concentration Level (3)	Actions (4)
Contact Recreational Use Closure	City: As applicable County: As applicable State: TPWD/TGLO Federal:	Contact Recreation Water PCL Combination *Reference: Table D-3 Columns 1 Water Protective Concern Levels	Issue public notice Close the affected area
	USFWS/NPS/NMFS		Establish safety zone
			Enforce zone
Water Intake Closure	City: As applicable County: As applicable Industrial/Private: As	Human Health Surface Water RBEL (Water&Fish) *Reference: Table D-3 Column 2 Water Protective Concern Levels	Notification Call
	applicable		Close intake
Drinking Water Closure	Public Water System Owner	Human Health Surface Water RBEL (Water&Fish) *Reference: Table D-3 Column 2 Water Protective Concern Levels	Issue Notice
Fisheries Closure	TPWD w/DSHS	Human Health Surface Water RBEL (Fish Only) *Reference: Table D-3 Column 3 Water Protective Concern Levels	Issue public notice
Fish Consumption Advisory	DSHS	DSHS Health Assessment Comparison Value *Reference: Table D-3 Column 4 DSHS Health Assessment Comparison Value	Consider Advisory

Table D-3: Water Protective Concentration Levels

Water Protective Concentration Levels									
		(1): Contact Recreation	(2): Human Health Surface	(3): Human Health Surface	(4) DSHS Health Assessment	(5) National Drinking Water			
Chemical of Concern (COC)	CAS ID#	Water PCL (comb)1	Water RBEL (Water and Fish) 2	Water RBEL (Fish Only) 3	Comparison Value	MCL			
Acenaphthene	83-32-9	2440 μg/L	70 μg/L	90 μg/L	140,000 μg/L				
Acrolein	107-02-8	426 μg/L	3 μg/L	400 μg/L					
Acrylonitrile *	107-13-1	75.7 μg/L	1 μg/L	115 μg/L	1,008 μg/L				
Benzene *	71-43-2	235 μg/L	5 μg/L	581 μg/L	9,899 - 36,296 μg/L				
Carbon Disulfide	75-15-0	34300 μg/L			233,333 μg/L				
Chlorine	7782-50-5	56,400 μg/L							
Cresols	1319-77-3	10,880 μg/L	1,041 μg/L	9,301 μg/L					
Ethanol	64-17-5	27,300,000 μg/L							
Ethylbenzene	100-41-4	12800 μg/L	700 μg/L	1867 μg/L	23,333 μg/L				
Ethylene Glycol	107-21-1	1,000,840 μg/L	46,744 μg/L	10,000,000.68 μg/L					
Formaldehyde *	50-00-0	148000 μg/L							
Hexane	110-54-3	4790 μg/L							
MTBE	1634-04-4	5.47 μg/L	15 μg/L	10,482 μg/L	700,000 μg/L				
Naphthalene *	91-20-3	2550 μg/L			46,667 μg/L				
Nitrate	14797-55-8	1,000,320 μg/L	10,000 μg/L						
Phenol	108-95-2	100,600 μg/L	4000 μg/L	300,000 μg/L	700,000 μg/L				
Phosphine	7803-51-2	169 μg/L							
Polychlorinated Biphenyls *	1336-36-3		.00064 μg/L	.00064 μg/L	272 μg/L	0.5 μg/L			
Styrene	100-42-5	29,800 μg/L			466,667 μg/L	100 μg/L			
Toluene	108-88-3	10,650 μg/L	1000 μg/L	1000 μg/L	186,667 μg/L				
Vinyl Chloride *	75-01-4	11.3 μg/L			389 μg/L	2 μg/L			
Xylenes	1330-20-7	20,400 μg/L			466,667 μg/L	10,000 μg/L			
		Column (1):	https://www.tceq.texas.gov/re	mediation/trrp/trrppcls.html					
		Column (2):	https://www.tceq.texas.gov/re	mediation/trrp/trrppcls.html					
		Column (3):	https://www.tceq.texas.gov/re	mediation/trrp/trrppcls.html					
		Column (4):	Contact DSHS						
		Column (5):	https://www.epa.gov/ground-v	water-and-drinking-water/nation	nal-primary-drinking-water-regu	llation-table			

NOTE: The values above are compiled from various sources which update at varying frequencies. This plan is reviewed annually and its associated values will be updated accordingly. Users of this plan should always verify the values listed in the plan are the most current valued listed in the originating source.

ATTACHMENT E: Sample Collection Form

Field Sampling Team Lead Information Contact/Mobile Phone: Affiliation/Email:				Operational Period: Contact Information (Sampling Tech Specialist in ICP) Contact/Phone:													
											Affiliation/	Email:					
											Team Members:	Team Members:					DOC Section Email:
				Sampling Objective (from	om Sampling	Plan)				Sampling	Conditio	ns/No	otes (n	otes on indiv	idual s	samples below)	
Sample ID Location Code/Matrix/ Depth Interval/2-Digit Sample Code (Example COL-SW-0-02 for Columbia River, Surface Water, Depth 0, Sample #2)	Sample Date (mm/dd/yyyy)	Sample Time (24-hr local)	Matrix (e.g., water, soil, product)	Preserved Y/N	Type (e.g., Grab/ Composite/ trowel, etc.)	Samplin g Method (e.g., bailer, direct, etc.)		e / Longii mal degr	tude ·ees	Container Type (ex. 1-liter amber)	# Containers	Sample Notes Note any filtration, problems with sample, etc.					
Sampling Lead Signature						Form #		of		Cooler	ID:	ICED Y/N					

ATTACHMENT F: Chain-of-Custody Form

Field Sampling Team Lead Inform	Contact Information (Sampling Tech Specialist in ICP)							
Contact/Mobile Phone:	Contact/Phone:							
Affiliation/Email:	Affiliation	/Email:						
Incident/Project Name:	Lab Report Email To:							
Laboratory Information		Analyses Requested Cooler						Cooler
Laboratory:					(plo	ID:	ICED: Y / N	
Lab Contact Name:					Type	e (or ho	COC#	of
Lab Phone/Email					ers/	Tim		
Sample ID (record location, description, etc. in field book or sampling form) Sample Date (mm/dd/yyyy) Sample Time (24-hr local) Matrix (water, soil, product)	Type Grab/Com po- site/etc.				# Containers / Type	Turnaround Time (or hold)		Comments nclude preservative type, control samples, if used.
Samples Relinquished By		Samples Received By					у	
Date Time Signature Nam	Name (printed)		Time	Signatu		e		Name (printed)
Special Instructions:								

Acronyms

COC Chain of Custody **CTCAC** Central Texas Coastal Area Committee DOO Data quality objectives **DSHS** Texas Department of State Health Services **ENVL** Environmental Unit Leader **EPA Environmental Protection Agency** EU **Environmental Unit HASP** Health and Safety Plan IC/UC Incident Command/Unified Command **ICP Incident Command Post ICS** Incident Command System JIC Joint Information Center LOFR Liaison Officer LOSC Local On-Scene Coordinator MCL Maximum Containment Level **MCLG** Maximum Contaminant Level Goal **NWQC** National Recommended Water Quality Criteria **OSC Operations Section Chief PCL** Permissible Contamination Limit PIO **Public Information Officer PSC** Planning Section Chief QA Quality Assurance QC **Quality Control RBEL** Risk Based Exposure Limit **RCRA** Resource Conservation Recovery Act **SITL** Situation Unit Leader **SOP Standard Operation Procedures SOSC** State On-Scene Coordinator **TAT** Turn Around Time **TCEO** Texas Commission of Environmental Quality **TGLO** Texas General Land Office **TPWD** Texas Parks and Wildlife Department **TRRP** Texas Risk Reduction Program **TSWQS**

References:

VOC

TCEQ (2006), Contact Recreation Water PCLs.

https://www.tceq.texas.gov/assets/public/remediation/trrp/contactrecpcls.pdf

TCEQ (2007), Determining PCLs for Surface Water and Sediment.

Texas Surface Water Quality Standards

Volatile Organic Compounds

https://www.tceq.texas.gov/assets/public/comm exec/pubs/rg/rg-366-trrp-24.pdf