# OSO CREEK NE

( PORTLAND, p.187 )

**Click Here or Scroll Down for Associated Map Data**

Click on the Geographic Response Plan Target to View the ICS Form




( OSO CREEK NW, p.195 )

( CRANE ISLANDS NW, p.193 )

North Latitude

West Longitude

( PITA ISLAND, p.200 )

TEXAS GENERAL LAND OFFICE OIL SPILL PREVENTION & RESPONSE

NOAA — NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION — U.S. DEPARTMENT OF COMMERCE

Oil Spill Planning and Response Atlas
2016

The Texas General Land Office makes no representations or warranties regarding the accuracy or completeness of the information depicted on this map or the data from which it was produced. This map is not suitable for navigational purposes and does not purport to depict boundaries of private and public land.




0 0.5 1 Miles

0 0.5 1 Nautical Miles

0 2,500 5,000 Feet

0 1 2 Kilometers

Depth Soundings in Feet

## Human Use Features

- Boat Ramp
- Facility

## Priority Protection Areas

- HIGH
- MEDIUM
- LOW

## Map Base Layers

- State Highway
- Airport Runways
- Road
- GIWW
- State Parks/WMA's
- County/Municipal Parks
- Oysters
- Estuarine Seagrass or Algae Bed
- Bays
- Salt and Brackish Marshes
- Beach or Tidal Flat
- Exposed Lake Shore
- Freshwater Marshes
- Swamps and Flooded Woodlands
- Willow Thickets
- Lake / Pond
- County Boundary
- City Limits

## Species Icons Within Map Quad

- Reptile
- Turtle
- Bivalve
- Cephalopod
- Shrimp
- Fish
- Fish T/E
- Dolphin
- Mammal T/E
- Marsh
- Diving Bird
- Gull/Tern
- Gull/Tern T/E
- Raptor
- Shorebird
- Shorebird Endangered
- Wading
- Waterfowl

## ENVIRONMENTAL SENSITIVITY INDEX

- 10D Mangroves and Woody Vegetation
- 10C Freshwater Swamps
- 10B Freshwater Marshes
- 10A Salt and Brackish Water Marshes
- 9 Sheltered Tidal Flats
- 8C Sheltered Rocky/Karst Shores
- 8D Sheltered Scarps
- 8B Sheltered Riprap Structures
- 8A Sheltered Solid Manmade Structures
- 7 Exposed Tidal Flats
- 6B Exposed Riprap Structures
- 6A Gravel or Shell Beaches
- 5 Mixed Sand and Gravel or Shell Beaches
- 4 Coarse-Grained Sand Beaches
- 3B Scraps and Steep Slopes in Sand
- 3A Fine-Grained Sand Beaches
- 2B Wave-Cut Clay Platforms
- 2A Scraps and Steep Slopes in Clay
- 1 Exposed Walls and Other Solid Structures

Back To Map

# Quadrant: OSO CREEK NE

Map # :194

Biological Information for this quadrant represents known concentration areas of occurrence.

## Habitat Priority Protection Areas

| PPA ID | PRIORITY | POLY DESC | BIRDS RANK | BIRDS DESC | FISH DESC | FISH RANK | WETLANDS R | WETLANDS D |
|---|---|---|---|---|---|---|---|---|
| | HIGH | Oso Bay colonial waterbird rookery, colony code 614-220 | High | Gull-billed terns, Forster's terns, Black skimmers | | | | |
| PPA1406 | HIGH | Oso Bay blind cut | HIGH | Piping and snowy plovers, other shorebirds year-round, pelicans, wading birds, peregrine falcons | Nursery | MEDIUM | | Mud and algal flats fringed by Spartina, Salicornia marsh |
| PPA1407 | HIGH | Marsh, wastewater outfall near Oso Bay blind cut | MEDIUM | High wading birds, shorebirds, pelicans, others | Nursery | HIGH | HIGH | Fresh to brackish marsh |
| PPA1408 | HIGH | Shoreline of Ward Island | LOW | Habitat for shorebirds, wading birds | Nursery | HIGH | HIGH | Batis-Salicornia marsh, Halodule, mud flats |
| PPA1409 | MEDIUM | Oso Bay | MEDIUM | Shorebirds, wading birds, reddish egrets feeding on shorelines | Nursery | MEDIUM | MEDIUM | Seagrass at bay margins |
| PPA1411 | HIGH | Mouth of Oso Bay | MEDIUM | Piping plovers, shorebirds, terns | Nursery | MEDIUM | | |
| PPA1412 | HIGH | Flats west of Corpus Christi N.A.S. | | | Nursery | HIGH | HIGH | Batis-Salicornia marsh, mud flats |
| PPA1419 | MEDIUM | Boat Hole, Laguna Madre south of Demit Island, and ICW | MEDIUM | | Nursery, deep water refuge, migration route, recreational fishing | HIGH | | |
| PPA1429 | HIGH | Cove northeast of Flour Bluff | HIGH | | Nursery area | HIGH | HIGH | |
| PPA1430 | HIGH | Islands north of Kennedy Causeway | HIGH | Important rookery (614-221) for gulls, terns, skimmers, some wading birds; heavy waterfowl use (redhead, pintail), shorebirds, occasional ospreys | Nursery area, excellent fishing | HIGH | HIGH | Extensive high-quality seagrass beds (Halodule, some Syringodium), Spartina alterniflora fringe marsh on islands |
| PPA1433 | LOW | Oso Bay flats northwest of Mud Bridge | MEDIUM | Shorebirds, nesting snowy plovers | Nursery | MEDIUM | LOW | Sand and algal flat grading into high marsh (Scirpus, Batis, Salicornia, cattails) |
| PPA1434 | HIGH | Laguna Madre shoreline east of Flour Bluff and Laguna Shores Road | HIGH | Wading birds, piping plover, black skimmers on spits of land from mainland | Nursery area | HIGH | HIGH | Fringe marsh on shoreline |
| PPA1438 | LOW | Oso Creek south of Mud Bridge | | White pelicans, reddish egrets at outfall | Nursery | MEDIUM | MEDIUM | Some seagrass (Halodule) |
| PPA1441 | HIGH | Spoil islands south of Kennedy Causeway | HIGH | Rookery (614-222); gulls, terns, wading birds | | | | Sand and algal flat, low marsh, Spartina fringe |
| PPA1516 | HIGH | Laguna Madre seagrass flats | HIGH | Waterfowl feeding area; very important redhead feeding area. | Fish and invertebrate nursery | HIGH | HIGH | SAV: Halodule wrightii dominant with scattered Syringodium filiforme, Ruppia maritima and Halophila engelmanii, drift algae |

## Biological Resources

### Bird

| RARNUM | NAME | S | F | CONC | J | F | M | A | M | J | J | A | S | O | N | D | NESTING | LAYING | HATCHING | FLEDGING |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 667 | Wading birds | | | | X | X | X | X | X | X | X | X | X | X | X | X | MAR-JUL | MAR-JUL | MAR-JUL | MAR-AUG |
| 699 | Shorebirds | | | | X | X | X | X | X | X | X | X | X | X | X | X | | | | |
| | Rails | | | | X | X | X | X | X | X | X | X | X | X | X | X | | | | |
| 705 | Brown pelican | | | | X | X | X | X | X | X | X | X | X | X | X | X | APR-SEP | APR-AUG | APR-AUG | APR-AUG |
| | Laughing gull | | | | X | X | X | X | X | X | X | X | X | X | X | X | FEB-AUG | FEB-AUG | FEB-AUG | MAR-SEP |
| | Black skimmer | C | | | X | X | X | X | X | X | X | X | X | X | X | X | APR-SEP | APR-SEP | APR-SEP | APR-SEP |
| | Least tern | | E | | | | X | X | X | X | X | X | X | X | | | APR–SEP | APR–SEP | MAY–SEP | MAY–SEP |
| | Caspian tern | | | | X | X | X | X | X | X | X | X | X | X | X | X | MAR-JUN | MAR-JUN | MAR-JUN | MAR-JUL |
| | Forster's tern | | | | X | X | X | X | X | X | X | X | X | X | X | X | MAR-AUG | MAR-AUG | MAR-AUG | MAR-SEP |
| | Sooty tern | | | | | X | X | X | X | X | X | X | X | X | | | | | | |
| | Royal tern | | | | X | X | X | X | X | X | X | X | X | X | X | X | FEB-AUG | FEB-AUG | FEB-AUG | MAR-SEP |
| | Gull-billed tern | | | | X | X | X | X | X | X | X | X | X | X | X | X | FEB–AUG | FEB–AUG | FEB–AUG | MAR–SEP |
| | Shorebirds | | | | X | X | X | X | X | X | X | X | X | X | X | X | | | | |
| | Black-crowned night-heron | | | 1 | X | X | X | X | X | X | X | X | X | X | X | X | APR-AUG | APR-AUG | APR-AUG | APR-SEP |
| | Wading birds | | | | X | X | X | X | X | X | X | X | X | X | X | X | MAR-JUL | MAR-JUL | MAR-JUL | MAR-AUG |
| | Roseate spoonbill | | | 6 | X | X | X | X | X | X | X | X | X | X | X | X | APR-AUG | APR-AUG | APR-AUG | MAY-SEP |
| | Great blue heron | | | 26 | X | X | X | X | X | X | X | X | X | X | X | X | DEC-MAR | JAN-MAR | FEB-APR | MAR-MAY |
| | Great egret | | | 12 | X | X | X | X | X | X | X | X | X | X | X | X | DEC-MAR | JAN-MAR | FEB-APR | MAR-MAY |
| | Reddish egret | | | | X | X | X | X | X | X | X | X | X | X | X | X | FEB-AUG | APR-AUG | APR-AUG | APR-SEP |
| | Snowy egret | C | | 24 | X | X | X | X | X | X | X | X | X | X | X | X | | | | |
| | Tricolored heron | C | | | X | X | X | X | X | X | X | X | X | X | X | X | APR-AUG | APR-AUG | APR-AUG | MAY-SEP |
| | Waterfowl | | | | X | X | X | X | | | | X | X | X | X | X | | | | |
| | Northern pintail | C | | | X | X | X | X | | | | X | X | X | X | X | | | | |
| | Redhead | | | | X | X | X | X | X | | | | | X | X | X | | | | |
| | American white pelican | C | | | X | X | X | X | X | X | X | X | X | X | X | X | FEB–AUG | FEB–AUG | FEB–AUG | MAR–SEP |
| 711 | Laughing gull | | | | X | X | X | X | X | X | X | X | X | X | X | X | FEB-AUG | FEB-AUG | FEB-AUG | MAR-SEP |
| | Black skimmer | C | | | X | X | X | X | X | X | X | X | X | X | X | X | APR-SEP | APR-SEP | APR-SEP | APR-SEP |
| | Caspian tern | | | | X | X | X | X | X | X | X | X | X | X | X | X | MAR-JUN | MAR-JUN | MAR-JUN | MAR-JUL |
| | Forster's tern | | | | X | X | X | X | X | X | X | X | X | X | X | X | MAR-AUG | MAR-AUG | MAR-AUG | MAR-SEP |
| | Sooty tern | | | | | X | X | X | X | X | X | X | X | X | | | | | | |
| | Gull-billed tern | | | | X | X | X | X | X | X | X | X | X | X | X | X | FEB–AUG | FEB–AUG | FEB–AUG | MAR–SEP |
| | Wading birds | | | | X | X | X | X | X | X | X | X | X | X | X | X | MAR-JUL | MAR-JUL | MAR-JUL | MAR-AUG |
| | Reddish egret | | | | X | X | X | X | X | X | X | X | X | X | X | X | FEB-AUG | APR-AUG | APR-AUG | APR-SEP |
| | Tricolored heron | C | | | X | X | X | X | X | X | X | X | X | X | X | X | APR-AUG | APR-AUG | APR-AUG | MAY-SEP |

Back To Map

## Bird

| RARNUM | NAME | S | F | CONC | J | F | M | A | M | J | J | A | S | O | N | D | NESTING | LAYING | HATCHING | FLEDGING |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 712 | Red knot | | T | | | | | X | X | | | X | X | | | | | | | |
| | Piping plover | | T | LOW | X | X | X | X | X | | X | X | X | X | X | X | | | | |
| | Wading birds | | | | X | X | X | X | X | X | X | X | X | X | X | X | MAR-JUL | MAR-JUL | MAR-JUL | MAR-AUG |
| 713 | Brown pelican | | | | X | X | X | X | X | X | X | X | X | X | X | X | APR-SEP | APR-AUG | APR-AUG | APR-AUG |
| | Laughing gull | | | 5774 | X | X | X | X | X | X | X | X | X | X | X | X | FEB-AUG | FEB-AUG | FEB-AUG | MAR-SEP |
| | Black skimmer | C | | 42 | X | X | X | X | X | X | X | X | X | X | X | X | APR-SEP | APR-SEP | APR-SEP | APR-SEP |
| | Least tern | | E | | | | X | X | X | X | X | X | X | X | | | APR–SEP | APR–SEP | MAY–SEP | MAY–SEP |
| | Caspian tern | | | 122 | X | X | X | X | X | X | X | X | X | X | X | X | MAR-JUN | MAR-JUN | MAR-JUN | MAR-JUL |
| | Forster's tern | | | | X | X | X | X | X | X | X | X | X | X | X | X | MAR-AUG | MAR-AUG | MAR-AUG | MAR-SEP |
| | Sooty tern | | | | | X | X | X | X | X | X | X | X | X | | | | | | |
| | Royal tern | | | 917 | X | X | X | X | X | X | X | X | X | X | X | X | FEB-AUG | FEB-AUG | FEB-AUG | MAR-SEP |
| | Gull-billed tern | | | 24 | X | X | X | X | X | X | X | X | X | X | X | X | FEB–AUG | FEB–AUG | FEB–AUG | MAR–SEP |
| | Sandwich tern | | | 190 | X | X | X | X | X | X | X | X | X | X | X | X | FEB-AUG | FEB-AUG | FEB-AUG | MAR-SEP |
| | Osprey | | | | X | X | X | X | X | X | X | X | X | X | X | X | | | | |
| | Black-crowned night-heron | | | 2 | X | X | X | X | X | X | X | X | X | X | X | X | APR-AUG | APR-AUG | APR-AUG | APR-SEP |
| | Wading birds | | | | X | X | X | X | X | X | X | X | X | X | X | X | MAR-JUL | MAR-JUL | MAR-JUL | MAR-AUG |
| | Great blue heron | | | 94 | X | X | X | X | X | X | X | X | X | X | X | X | DEC-MAR | JAN-MAR | FEB-APR | MAR-MAY |
| | Great egret | | | 46 | X | X | X | X | X | X | X | X | X | X | X | X | DEC-MAR | JAN-MAR | FEB-APR | MAR-MAY |
| | Reddish egret | | | 42 | X | X | X | X | X | X | X | X | X | X | X | X | FEB-AUG | APR-AUG | APR-AUG | APR-SEP |
| | Snowy egret | C | | 24 | X | X | X | X | X | X | X | X | X | X | X | X | | | | |
| | Tricolored heron | C | | 30 | X | X | X | X | X | X | X | X | X | X | X | X | APR-AUG | APR-AUG | APR-AUG | MAY-SEP |
| | White ibis | | | 1 | X | X | X | X | X | X | X | X | X | X | X | X | FEB-JUN | FEB-JUN | FEB-JUN | MAR-JUL |
| | Waterfowl | | | | X | X | X | X | X | X | X | X | X | X | X | X | | | | |
| | Northern pintail | C | | HIGH | X | X | X | X | | | | X | X | X | X | X | | | | |
| | Northern shoveler | | | | X | X | X | X | X | | | | X | X | X | X | | | | |
| | Lesser scaup | | | | X | X | X | X | | | | | X | X | X | X | | | | |
| | Redhead | | | VERY HIGH | X | X | X | X | X | | | | | X | X | X | | | | |
| 714 | Black skimmer | C | | | X | X | X | X | X | X | X | X | X | X | X | X | APR-SEP | APR-SEP | APR-SEP | APR-SEP |
| | Waterfowl | | | HIGH | X | X | X | X | X | X | X | X | X | X | X | X | | | | |
| 715 | Waterfowl | | | HIGH | X | X | X | X | X | X | X | X | X | X | X | X | | | | |
| | Redhead | | | HIGH | X | X | X | X | X | | | | | X | X | X | | | | |
| 716 | Terns | | | | X | X | X | X | X | X | X | X | X | X | X | X | | | | |
| | Peregrine falcon | | | | X | X | X | X | X | | | | X | X | X | X | | | | |
| | Shorebirds | | | | X | X | X | X | X | X | X | X | X | X | X | X | | | | |
| | Red knot | | T | | | | | X | X | | | X | X | | | | | | | |
| | Piping plover | | T | | X | X | X | X | X | | X | X | X | X | X | X | | | | |
| | Wading birds | | | | X | X | X | X | X | X | X | X | X | X | X | X | MAR-JUL | MAR-JUL | MAR-JUL | MAR-AUG |
| | Willet | | | | X | X | X | X | X | X | X | X | X | X | X | X | APR–AUG | APR–AUG | APR–AUG | MAY–SEP |
| | Black-necked stilt | | | | X | X | X | X | X | X | X | X | X | X | X | X | APR–SEP | APR–SEP | APR–SEP | APR–SEP |
| | Wood stork | | | | X | X | X | X | X | X | X | X | X | X | X | X | | | | |
| | American white pelican | C | | | X | X | X | X | X | X | X | X | X | X | X | X | FEB–AUG | FEB–AUG | FEB–AUG | MAR–SEP |
| 717 | Terns | | | | X | X | X | X | X | X | X | X | X | X | X | X | | | | |
| | Shorebirds | | | | X | X | X | X | X | X | X | X | X | X | X | X | | | | |
| | Red knot | | T | | | | | X | X | | | X | X | | | | | | | |
| | Piping plover | | T | | X | X | X | X | X | | X | X | X | X | X | X | | | | |
| | Wading birds | | | | X | X | X | X | X | X | X | X | X | X | X | X | MAR-JUL | MAR-JUL | MAR-JUL | MAR-AUG |
| | Willet | | | | X | X | X | X | X | X | X | X | X | X | X | X | APR–AUG | APR–AUG | APR–AUG | MAY–SEP |
| 718 | Red knot | | T | | | | | X | X | | | X | X | | | | | | | |
| | Piping plover | | T | | X | X | X | X | X | | X | X | X | X | X | X | | | | |
| 720 | Red knot | | T | | | | | X | X | | | X | X | | | | | | | |
| | Piping plover | | T | | X | X | X | X | X | | X | X | X | X | X | X | | | | |
| 721 | Wading birds | | | | X | X | X | X | X | X | X | X | X | X | X | X | MAR-JUL | MAR-JUL | MAR-JUL | MAR-AUG |
| 722 | Shorebirds | | | | X | X | X | X | X | X | X | X | X | X | X | X | | | | |
| | Wading birds | | | | X | X | X | X | X | X | X | X | X | X | X | X | MAR-JUL | MAR-JUL | MAR-JUL | MAR-AUG |
| | Reddish egret | | | | X | X | X | X | X | X | X | X | X | X | X | X | FEB-AUG | APR-AUG | APR-AUG | APR-SEP |
| 725 | Shorebirds | | | | X | X | X | X | X | X | X | X | X | X | X | X | | | | |
| | Red knot | | T | | | | | X | X | | | X | X | | | | | | | |
| | Snowy plover | | | | X | X | X | X | X | X | X | X | X | X | X | X | FEB–AUG | FEB–AUG | FEB–AUG | MAR–SEP |
| | Piping plover | | T | | X | X | X | X | X | | X | X | X | X | X | X | | | | |
| 726 | Shorebirds | | | | X | X | X | X | X | X | X | X | X | X | X | X | | | | |
| | Reddish egret | | | | X | X | X | X | X | X | X | X | X | X | X | X | FEB-AUG | APR-AUG | APR-AUG | APR-SEP |
| | American white pelican | C | | | X | X | X | X | X | X | X | X | X | X | X | X | FEB–AUG | FEB–AUG | FEB–AUG | MAR–SEP |

## Fish

| RARNUM | NAME | S | F | CONC | J | F | M | A | M | J | J | A | S | O | N | D | LARV/JUV | SPAWNING |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 667 | Native fish community | | | | X | X | X | X | X | X | X | X | X | X | X | X | | |
| | Sharks | | | | X | X | X | X | X | X | X | X | X | X | X | X | | |
| | Sheepshead | | | | X | X | X | X | X | X | X | X | X | X | X | X | JAN-MAY | FEB-APR |
| | Gafftopsail catfish | | | | X | X | X | X | X | X | X | X | X | X | X | X | MAY-SEP | MAY-AUG |
| | Black drum | | | | X | X | X | X | X | X | X | X | X | X | X | X | ALLYEAR | DEC-MAY |
| | Silver perch | | | | X | X | X | X | X | X | X | X | X | X | X | X | ALLYEAR | APR-SEP |
| | Atlantic needlefish | | | | X | X | X | X | X | X | X | X | X | X | X | X | | JUN-AUG |
| 699 | Native fish community | | | | X | X | X | X | X | X | X | X | X | X | X | X | | |
| 704 | Native fish community | | | | X | X | X | X | X | X | X | X | X | X | X | X | | |
| | Sheepshead | | | | X | X | X | X | X | X | X | X | X | X | X | X | JAN-MAY | FEB-APR |
| | Black drum | | | | X | X | X | X | X | X | X | X | X | X | X | X | ALLYEAR | DEC-MAY |
| 705 | Native fish community | | | | X | X | X | X | X | X | X | X | X | X | X | X | | |
| | Black drum | | | | X | X | X | X | X | X | X | X | X | X | X | X | ALLYEAR | DEC-MAY |
| 712 | Native fish community | | | | X | X | X | X | X | X | X | X | X | X | X | X | | |
| 713 | Native fish community | | | | X | X | X | X | X | X | X | X | X | X | X | X | | |
| | Sheepshead | | | | X | X | X | X | X | X | X | X | X | X | X | X | JAN-MAY | FEB-APR |
| | Black drum | | | | X | X | X | X | X | X | X | X | X | X | X | X | ALLYEAR | DEC-MAY |
| 716 | Native fish community | | | | X | X | X | X | X | X | X | X | X | X | X | X | | |
| | Gizzard shad | | | | X | X | X | X | X | X | X | X | X | X | X | X | APR-SEP | MAR-AUG |
| 717 | Native fish community | | | | X | X | X | X | X | X | X | X | X | X | X | X | | |
| | Black drum | | | | X | X | X | X | X | X | X | X | X | X | X | X | ALLYEAR | DEC-MAY |
| | Gizzard shad | | | | X | X | X | X | X | X | X | X | X | X | X | X | APR-SEP | MAR-AUG |
| 720 | Native fish community | | | | X | X | X | X | X | X | X | X | X | X | X | X | | |

Back To Map

## Fish

| RARNUM | NAME | S | F | CONC | J | F | M | A | M | J | J | A | S | O | N | D | LARV/JUV | SPAWNING |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 721 | Native fish community | | | | X | X | X | X | X | X | X | X | X | X | X | X | | |
| 722 | Native fish community | | | | X | X | X | X | X | X | X | X | X | X | X | X | | |
| 723 | Native fish community | | | | X | X | X | X | X | X | X | X | X | X | X | X | | |
| | Black drum | | | | X | X | X | X | X | X | X | X | X | X | X | X | ALLYEAR | DEC-MAY |
| 724 | Native fish community | | | | X | X | X | X | X | X | X | X | X | X | X | X | | |
| 726 | Native fish community | | | | X | X | X | X | X | X | X | X | X | X | X | X | | |
| | Black drum | | | | X | X | X | X | X | X | X | X | X | X | X | X | ALLYEAR | DEC-MAY |
| 727 | Native fish community | | | | X | X | X | X | X | X | X | X | X | X | X | X | | |
| | Black drum | | | | X | X | X | X | X | X | X | X | X | X | X | X | ALLYEAR | DEC-MAY |

## Invertebrate

| RARNUM | NAME | S | F | CONC | J | F | M | A | M | J | J | A | S | O | N | D | LARV/JUV | SPAWNING |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 667 | Dwarf surf clam | | | | X | X | X | X | X | X | X | X | X | X | X | X | | MAY-NOV |
| | Cnidarians | | | | X | X | X | X | X | X | X | X | X | X | X | X | | |
| | Polychaetes | | | | X | X | X | X | X | X | X | X | X | X | X | X | | |
| | Atlantic brief squid | | | | X | X | X | X | X | X | X | X | X | X | X | X | | |
| | Native shrimp and crab community | | | | X | X | X | X | X | X | X | X | X | X | X | X | | |
| 699 | Native shrimp and crab community | | | | X | X | X | X | X | X | X | X | X | X | X | X | | |
| 700 | Eastern oyster | | | | X | X | X | X | X | X | X | X | X | X | X | X | MAY-JAN | MAR-NOV |
| 704 | Eastern oyster | | | | X | X | X | X | X | X | X | X | X | X | X | X | MAY-JAN | MAR-NOV |
| | Native shrimp and crab community | | | | X | X | X | X | X | X | X | X | X | X | X | X | | |
| 705 | Eastern oyster | | | | X | X | X | X | X | X | X | X | X | X | X | X | MAY-JAN | MAR-NOV |
| | Native shrimp and crab community | | | | X | X | X | X | X | X | X | X | X | X | X | X | | |
| 712 | Native shrimp and crab community | | | | X | X | X | X | X | X | X | X | X | X | X | X | | |
| 713 | Native shrimp and crab community | | | | X | X | X | X | X | X | X | X | X | X | X | X | | |
| 716 | Native shrimp and crab community | | | | X | X | X | X | X | X | X | X | X | X | X | X | | |
| 717 | Eastern oyster | | | | X | X | X | X | X | X | X | X | X | X | X | X | MAY-JAN | MAR-NOV |
| | Native shrimp and crab community | | | | X | X | X | X | X | X | X | X | X | X | X | X | | |
| 720 | Native shrimp and crab community | | | | X | X | X | X | X | X | X | X | X | X | X | X | | |
| 721 | Native shrimp and crab community | | | | X | X | X | X | X | X | X | X | X | X | X | X | | |
| 722 | Native shrimp and crab community | | | | X | X | X | X | X | X | X | X | X | X | X | X | | |
| 723 | Native shrimp and crab community | | | | X | X | X | X | X | X | X | X | X | X | X | X | | |
| 724 | Native shrimp and crab community | | | | X | X | X | X | X | X | X | X | X | X | X | X | | |
| 726 | Native shrimp and crab community | | | | X | X | X | X | X | X | X | X | X | X | X | X | | |
| 727 | Native shrimp and crab community | | | | X | X | X | X | X | X | X | X | X | X | X | X | | |

## Marine Mammal

| RARNUM | NAME | S | F | CONC | J | F | M | A | M | J | J | A | S | O | N | D | LARV/JUV | SPAWNING | MATING | CALVING |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 667 | Bottlenose dolphin | | | | X | X | X | X | X | X | X | X | X | X | X | X | MAR-MAY | JUL-AUG | JAN-DEC | JAN-DEC |
| | West Indian manatee | | E | LOW | | | X | X | X | X | X | X | X | X | X | | | | | |
| 705 | West Indian manatee | | E | LOW | | | X | X | X | X | X | X | X | X | X | | | | | |
| 713 | West Indian manatee | | E | LOW | | | X | X | X | X | X | X | X | X | X | | | | | |
| 716 | West Indian manatee | | E | LOW | | | X | X | X | X | X | X | X | X | X | | | | | |
| 717 | Bottlenose dolphin | | | | X | X | X | X | X | X | X | X | X | X | X | X | MAR-MAY | JUL-AUG | JAN-DEC | JAN-DEC |
| | West Indian manatee | | E | LOW | | | X | X | X | X | X | X | X | X | X | | | | | |
| 720 | West Indian manatee | | E | LOW | | | X | X | X | X | X | X | X | X | X | | | | | |
| 726 | West Indian manatee | | E | LOW | | | X | X | X | X | X | X | X | X | X | | | | | |

## Reptile

| RARNUM | NAME | S | F | CONC | J | F | M | A | M | J | J | A | S | O | N | D | NESTING | LAYING | HATCHING | LARV/JUV |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 716 | Gulf salt marsh snake | | | | X | X | X | X | X | X | X | X | X | X | X | X | | | | |
| | Texas diamondback terrapin | C | | | X | X | X | X | X | X | X | X | X | X | X | X | MAY-JUL | MAY-JUL | APR-AUG | |
| 717 | Texas diamondback terrapin | C | | | X | X | X | X | X | X | X | X | X | X | X | X | MAY-JUL | MAY-JUL | APR-AUG | |
| 718 | Texas diamondback terrapin | C | | | X | X | X | X | X | X | X | X | X | X | X | X | MAY-JUL | MAY-JUL | APR-AUG | |
| 720 | Texas diamondback terrapin | C | | | X | X | X | X | X | X | X | X | X | X | X | X | MAY-JUL | MAY-JUL | APR-AUG | |
| 722 | Texas diamondback terrapin | C | | | X | X | X | X | X | X | X | X | X | X | X | X | MAY-JUL | MAY-JUL | APR-AUG | |
| 723 | Texas diamondback terrapin | C | | | X | X | X | X | X | X | X | X | X | X | X | X | MAY-JUL | MAY-JUL | APR-AUG | |
| 724 | Texas diamondback terrapin | C | | | X | X | X | X | X | X | X | X | X | X | X | X | MAY-JUL | MAY-JUL | APR-AUG | |
| 725 | Texas diamondback terrapin | C | | | X | X | X | X | X | X | X | X | X | X | X | X | MAY-JUL | MAY-JUL | APR-AUG | |
| 726 | Texas diamondback terrapin | C | | | X | X | X | X | X | X | X | X | X | X | X | X | MAY-JUL | MAY-JUL | APR-AUG | |

Back To Map

Human Use Resources

| Boat Ramp | RARNUM | NAME | CONTACT | CONTACT INFO |
|---|---|---|---|---|
| | 2221 | Naval | | |
| | 2225 | Tropic Isles Boat Ramp | | nuecesnuecesrio@tropicisles |
| **Facility** | **RARNUM** | **NAME** | **CONTACT** | **CONTACT INFO** |
| | 1515 | Texas A&M University - Corpus Christi | Roy Coons | 361-825-4444 |
| | 1516 | Naval Air Station (NAS) Corpus Christi | Bernice Snyder | 360-722-2429 |
| | 1518 | Amerril Energy - Flour Bluff Compressor Station and Pita Island Tank Battery | Windsor Wen | 361-881-5059 |